





HORIZONTAL STABILIZER AND ELEVATOR
1 REQ. - 3MM CELLFOAM 88, DEPRON, OR
TRAY FOAM




FIREWALL PARTS 1, 2, AND 3 MAKE FROM 1/16" PLYWOOD
#1 - FIREWALL
#2 - TRAPS L.G. UP DOWN AND SIDE TO SIDE MOVEMENT
#3 - LOCKS WIRE LANDING GEAR INTO FIREWALL ASSEMBLY.


PYLON REINFORCEMENT - 2 REQ.
2MM CF OR FIBERGLASS ROD
X 3.5" LONG




FUSELAGE VERTICAL PROFILE - 1 REQ. - 5MM CELLFOAM 88, DEPRON



FUSELAGE HORIZONTAL PROFILE - 1 REQ.
5MM CELLFOAM 88, DEPRON, OR FFF






WING HOLD DOWN DOWELS
2 REQ. - 1/8" X 2-1/4" LONG
WOOD DOWELS




22" WINGSPAN
4.75 OUNCES
300 MAH 2S LIPO
PARK 250 OUTRUNNER
2-3.7g SERVOS
MAG8 10A ESC
AR6100E RX
PUSHRODS ARE .032" M
WHEELS ARE 1.5" PARK
CONTROL HORNS MAKE



DEPRON, OR FFF



FUSELAGE LOWER SIDE PANEL - 2 REQ. 1.5-3MM
FOAM, DEPRON, OR EPP







ADD .020"-.030" CF ROD TO THESE 3 EDGES AFTER BOTH FUSELAGE
PROFILES AND VERTICAL STABILIZER/RUDDER PARTS ARE ASSEMBLED.

DZ1SFB's BUILD OF JIMMY J FLYER's
20/DEC/2009

INNER

J-Bug

32" MUSIC WIRE
PARK FLYERS
MAKE FROM CREDIT CARD STOCK




BLEED.


LANDING GEAR - 1 REQ.
1/16" MUSIC WIRE



WING PANEL - 2 REQ. - 5MM CELLFOAM 88, DEPRON, OR FFF
DIHEDRAL = 1.5" PER TIP MEASURED FROM TOP OF WING



WING SADDLE REINF. - 2 REQ. - 5MM CELLFOAM 88, DEPRON, OR FFF



R FFF
NG

OR FFF